Volume 194, Number 1 May 2001

Editorial

How well does the CSF inform upon pathology in the brain in Creutzfeldt–Jakob and Alzheimer's diseases?: R. O. Weller 1

Review Article

Met protein and hepatocyte growth factor (HGF) in papillary carcinoma of the thyroid: evidence for a pathogenetic role in tumourigenesis: L. P. Ruco, A. Stoppacciaro, F. Ballarini, M. Prat and S. Scarpino 4

Original Papers

Absence of protease-resistant prion protein in the cerebrospinal fluid of Creutzfeldt–Jakob disease: B.-S. Wong, A. J. E. Green, R. Li, Z. Xie, T. Pan, T. Liu, S. G. Chen, P. Gambetti and M.-S. Sy 9

Increased expression of cFLIP$_L$ in colonic adenocarcinoma: B.-K. Ryu, M.-G. Lee, S.-G. Chi, Y.-W. Kim and J.-H. Park 15

Expression of the E-cadherin–catenin complex in lung neuroendocrine tumours: C. E. Clavel, F. Nollet, G. Berx, S. Tejpar, B. Nawrocki-Raby, H. H. Kaplan, F. M. van Roy and P. L. Birembaut 20

Altered intracellular localization of fibroblast growth factor receptor 3 in human breast cancer: C. Zammit, R. Barnard, J. Gomm, R. Coope, S. Shousha, C. Coombes and C. Johnston 27

Differential expression of p16/p21/p27 and cyclin D1/D3, and their relationships to cell proliferation, apoptosis, and tumour progression in invasive ductal carcinoma of the breast: S. C. C. Wong, J. K. C. Chan, K. C. Lee and W. L. W. Hsiao 35

The Ets-1 transcription factor is up-regulated together with MMP 1 and MMP 9 in the stroma of pre-invasive breast cancer: P. Behrens, M. Rothe, A. Wellmann, J. Krischler and N. Wernert 43

Comparative analysis of human papillomavirus infections in cervical scrapes and biopsy specimens by general SPF$_{10}$ PCR and HPV genotyping: W. G. V. Quint, G. Scholte, L. J. van Doorn, B. Kleter, P. H. M. Smits and J. Lindeman 51

Frequent nuclear β-catenin accumulation and associated mutations in endometrioid-type endometrial and ovarian carcinomas with squamous differentiation: M. Saegusa and I. Okayasu 59

p53 mutation does not affect prognosis in ovarian epithelial malignancies: S. Fallows, J. Price, R. J. Atkinson, P. G. Johnston, I. Hickey and S. E. H. Russell 68

The chromosome 9q genes *TGFBR1*, *TSC1*, and *ZNF189* are rarely mutated in bladder cancer: A. A. G. van Tilborg, A. de Vries and E. C. Zwarthoff 76

Subtyping of oligo-astrocytic tumours by comparative genomic hybridization: J. W. M. Jeuken, S. H. E. Sprenger, R. H. Boerman, A. von Deimling, H. L. J. M. Teepen, J. J. van Overbeeke and P. Wesseling 81

Expression of COL1A1-PDGFB fusion transcripts in superficial adult fibrosarcoma suggests a close relationship to dermatofibrosarcoma protuberans: W.-Q. Sheng, H. Hashimoto, S. Okamoto, T. Ishida, J. M. Meis-Kindblom, L.-G. Kindblom and M. Hisaoka 88

Expression of neurotrophins and their receptors in pigment cell lesions of the skin: P. F. Innominato, L. Libbrecht and J. J. van den Oord 95

The angiogenic pathway 'vascular endothelial growth factor/flk-1(KDR)-receptor' in rheumatoid arthritis and osteoarthritis: A. Giatromanolaki, E. Sivridis, N. Athanassou, E. Zois, P. E. Thorpe, R. A. Brekken, K. C. Gatter, A. L. Harris, I. M. Koukourakis and M. I. Koukourakis 101

Targeted disruption of the nitric oxide synthase 2 gene protects against ischaemia/reperfusion injury to skeletal muscle: J. E. Barker, K. R. Knight, R. Romeo, J. V. Hurley, W. A. Morrison and A. G. Stewart 109

Histopathological findings in skeletal muscle used in human dynamic cardiomyoplasty: P. S. Gutierrez, W. O. Pires Jr, S. K. N. Marie, L. F. P. Moreira, C. Mady, M. L. Higuchi, N. A. G. Stolf and J. A. F. Ramires 116

Chronic blockade of angiotensin II action prevents glomerulosclerosis, but induces graft vasculopathy in experimental kidney transplantation: A. Smit-van Oosten, G. Navis, C. A. Stegeman, J. A. Joles, P. A. Klok, F. Kuipers, A. T. M. G. Tiebosch and H. van Goor 122

A novel method for detecting HIV-1 by non-radioactive *in situ* hybridization: application of a peptide nucleic acid probe and catalysed signal amplification: T. Murakami, T. Hagiwara, K. Yamamoto, J. Hattori, M. Kasami, M. Utsumi and T. Kaneda 130

Book Reviews 136

Announcements 140

Volume 194, Number 1 May 2001

Editorial

How well does the CSF inform upon pathology in the brain in Creutzfeldt–Jakob and Alzheimer's diseases?: R. O. Weller 1

Review Article

Met protein and hepatocyte growth factor (HGF) in papillary carcinoma of the thyroid: evidence for a pathogenetic role in tumourigenesis: L. P. Ruco, A. Stoppacciaro, F. Ballarini, M. Prat and S. Scarpino 4

Original Papers

Absence of protease-resistant prion protein in the cerebrospinal fluid of Creutzfeldt–Jakob disease: B.-S. Wong, A. J. E. Green, R. Li, Z. Xie, T. Pan, T. Liu, S. G. Chen, P. Gambetti and M.-S. Sy 9

Increased expression of cFLIP$_L$ in colonic adenocarcinoma: B.-K. Ryu, M.-G. Lee, S.-G. Chi, Y.-W. Kim and J.-H. Park 15

Expression of the E-cadherin–catenin complex in lung neuroendocrine tumours: C. E. Clavel, F. Nollet, G. Berx, S. Tejpar, B. Nawrocki-Raby, H. H. Kaplan, F. M. van Roy and P. L. Birembaut 20

Altered intracellular localization of fibroblast growth factor receptor 3 in human breast cancer: C. Zammit, R. Barnard, J. Gomm, R. Coope, S. Shousha, C. Coombes and C. Johnston 27

Differential expression of p16/p21/p27 and cyclin D1/D3, and their relationships to cell proliferation, apoptosis, and tumour progression in invasive ductal carcinoma of the breast: S. C. C. Wong, J. K. C. Chan, K. C. Lee and W. L. W. Hsiao 35

The Ets-1 transcription factor is up-regulated together with MMP 1 and MMP 9 in the stroma of pre-invasive breast cancer: P. Behrens, M. Rothe, A. Wellmann, J. Krischler and N. Wernert 43

Comparative analysis of human papillomavirus infections in cervical scrapes and biopsy specimens by general SPF$_{10}$ PCR and HPV genotyping: W. G. V. Quint, G. Scholte, L. J. van Doorn, B. Kleter, P. H. M. Smits and J. Lindeman 51

Frequent nuclear β-catenin accumulation and associated mutations in endometrioid-type endometrial and ovarian carcinomas with squamous differentiation: M. Saegusa and I. Okayasu 59

p53 mutation does not affect prognosis in ovarian epithelial malignancies: S. Fallows, J. Price, R. J. Atkinson, P. G. Johnston, I. Hickey and S. E. H. Russell 68

The chromosome 9q genes *TGFBR1*, *TSC1*, and *ZNF189* are rarely mutated in bladder cancer: A. A. G. van Tilborg, A. de Vries and E. C. Zwarthoff 76

Subtyping of oligo-astrocytic tumours by comparative genomic hybridization: J. W. M. Jeuken, S. H. E. Sprenger, R. H. Boerman, A. von Deimling, H. L. J. M. Teepen, J. J. van Overbeeke and P. Wesseling 81

Expression of COL1A1-PDGFB fusion transcripts in superficial adult fibrosarcoma suggests a close relationship to dermatofibrosarcoma protuberans: W.-Q. Sheng, H. Hashimoto, S. Okamoto, T. Ishida, J. M. Meis-Kindblom, L.-G. Kindblom and M. Hisaoka 88

Expression of neurotrophins and their receptors in pigment cell lesions of the skin: P. F. Innominato, L. Libbrecht and J. J. van den Oord 95

The angiogenic pathway 'vascular endothelial growth factor/flk-1(KDR)-receptor' in rheumatoid arthritis and osteoarthritis: A. Giatromanolaki, E. Sivridis, N. Athanassou, E. Zois, P. E. Thorpe, R. A. Brekken, K. C. Gatter, A. L. Harris, I. M. Koukourakis and M. I. Koukourakis 101

Targeted disruption of the nitric oxide synthase 2 gene protects against ischaemia/reperfusion injury to skeletal muscle: J. E. Barker, K. R. Knight, R. Romeo, J. V. Hurley, W. A. Morrison and A. G. Stewart 109

Histopathological findings in skeletal muscle used in human dynamic cardiomyoplasty: P. S. Gutierrez, W. O. Pires Jr, S. K. N. Marie, L. F. P. Moreira, C. Mady, M. L. Higuchi, N. A. G. Stolf and J. A. F. Ramires 116

Chronic blockade of angiotensin II action prevents glomerulosclerosis, but induces graft vasculopathy in experimental kidney transplantation: A. Smit-van Oosten, G. Navis, C. A. Stegeman, J. A. Joles, P. A. Klok, F. Kuipers, A. T. M. G. Tiebosch and H. van Goor 122

A novel method for detecting HIV-1 by non-radioactive *in situ* hybridization: application of a peptide nucleic acid probe and catalysed signal amplification: T. Murakami, T. Hagiwara, K. Yamamoto, J. Hattori, M. Kasami, M. Utsumi and T. Kaneda 130

Book Reviews 136

Announcements 140

Volume 194, Number 2 June 2001

Dysplasia classification: pathology in disgrace?: F. T. Bosman 143

Expression of cytokine and chemokine genes in Epstein–Barr virus-associated nasopharyngeal carcinoma: comparison with Hodgkin's disease: A. Beck, D. Päzolt, G. G. Grabenbauer, J. M. Nicholls, H. Herbst, L. S. Young and G. Niedobitek 145

Inter-observer variation between general and specialist gastrointestinal pathologists when grading dysplasia in ulcerative colitis: J. Eaden, K. Abrams, H. McKay, H. Denley and J. Mayberry 152

Expression of the tumour necrosis factor receptor-associated factors 1 and 2 in Hodgkin's disease: P. G. Murray, J. R. Flavell, K. N. Baumforth, S. M. Toomey, C. W. Dawson, D. Lowe, J. Crocker, R. F. Ambinder and L. S. Young 158

Ductal invasive G2 and G3 carcinomas of the breast are the end stages of at least two different lines of genetic evolution: H. Buerger, E. C. Mommers, R. Littmann, R. Simon, R. Diallo, C. Poremba, B. Dockhorn-Dworniczak, P. J. van Diest and W. Boecker 165

DNA image cytometry and human papillomavirus (HPV) detection help to select smears at high risk of high-grade cervical lesions: M. Lorenzato, C. Clavel, M. Masure, J.-M. Nou, D. Bouttens, G. Evrard, J.-P. Bory, B. Maugard, C. Quereux and P. Birembaut 171

New chromosomal regions with high-level amplifications in squamous cell carcinomas of larynx and pharynx identified by comparative genomic hybridization: M. Hermsen, M. A. Guervós, G. Meijer, J. Baak, P. van Diest, C. A. Marcos and A. Sampedro 177

Telomerase activity and telomere length in thyroid neoplasia: biological and clinical implications: P. Matthews, C. J. Jones, J. Skinner, M. Haughton, C. de Micco and D. Wynford-Thomas 183

Inducible nitric oxide synthase expression in benign and malignant cutaneous melanocytic lesions: D. Massi, A. Franchi, I. Sardi, L. Magnelli, M. Paglierani, L. Borgognoni, U. M. Reali and M. Santucci 194

MMP-9 is predominantly expressed in epitheloid and not spindle cell uveal melanoma: Y. El-Shabrawi, N. Ardjomand, H. Radner and N. Ardjomand 201

Keratinocyte derived growth factors play a role in the formation of hypertrophic scars: F. B. Niessen, M. P. Andriessen, J. Schalkwijk, L. Visser and W. Timens 207

Expression and induction of collagenases (MMP-8 and -13) in plasma cells associated with bone-destructive lesions: J. Wahlgren, P. Maisi, T. Sorsa, M. Sutinen, T. Tervahartiala, E. Pirilä, O. Teronen, J. Hietanen, L. Tjäderhane and T. Salo 217

Expression of MMP2, MMP9, MT1-MMP, TIMP1 and TIMP2 mRNA in valvular lesions of the heart: Y. Soini, J. Satta, M. Määttä and H. Autio-Harmainen 225

***In-vivo* collagenase-2 (MMP-8) expression by human bronchial epithelial cells and monocytes/macrophages in bronchiectasis:** K. Prikk, E. Pirilä, R. Sepper, P. Maisi, T. Salo, J. Wahlgren and T. Sorsa 232

Potential role for monocyte chemotactic protein-4 (MCP-4) in monocyte/macrophage recruitment in acute renal inflammation: S. J. Chakravorty, A. J. Howie, J. Girdlestone, D. Gentle and C. S. Savage 239

Nerve growth factor and brain-derived neurotrophic factor mRNAs are regulated in distinct cell populations of rat heart after ischaemia and reperfusion: J. O. Hiltunen, A. Laurikainen, A. Vakeva, S. Meri and M. Saarma 247

Expression of CD31 by cells of extensive ductal *in situ* and invasive carcinomas of the breast: A. Sapino, M. Bongiovanni, P. Cassoni, L. Righi, R. Arisio, S. Deaglio and F. Malavasi 254

Overproduction of perlecan core protein in cultured cells and transgenic mice: M. Hart, L. Li, T. Tokunaga, J. R. Lindsey, J. R. Hassell, A. D. Snow and K. Fukuchi 262

Announcements 273

Volume 194, Number 3 July 2001

Review Article

Neuropathology of paediatric chronic intestinal pseudo-obstruction and related animal models: R. P. Kapur 277

Editorials

Molecular markers of metastasis in squamous carcinomas: T. R. Helliwell 289

Histological grading of oral epithelial dysplasia: revisited: S. Warnakulasuriya 294

Original Papers

Expression of genetic markers in lymph node metastases compared to their primary tumours in head and neck cancer: R. P. Takes, R. J. Baatenberg de Jong, K. Wijffels, E. Schuuring, S. V. Litvinov, J. Hermans and J. M. van Krieken 298

Comparison of histological grading and large scale genomic status (DNA ploidy) as prognostic tools in oral dysplasia: J. Sudbø, M. Bryne, A. C. Johannessen, W. Kildal, H. E. Danielsen and A. Reith 303

Detailed gene expression analysis but not microsatellite marker analysis of 9p21 reveals differential defects in the INK4a gene locus in the majority of head and neck cancers: A. Grüttgen, M. Reichenzeller, M. Jünger, S. Schlien, A. Affolter and F. X. Bosch 311

Detailed deletion mapping in sporadic breast cancer at chromosomal region 17P13 distal to the TP53 gene: association with clinicopathological parameters: S. Seitz, K. Poppe, J. Fischer, A. Nothnagel, L. Estévez-Schwarz, W. Haensch, P. M. Schlag and S. Scherneck 318

Similarity in expression of cell cycle proteins between *in situ* and invasive ductal breast lesions of same differentiation grade: E. M. Mommers, A. M. Leonhart, F. Falix, R. Michalides, C. M. Meijer, J. A. Baak and P. J. van Diest 327

Microsatellite alterations and target gene mutations in the early stages of multiple gastric cancer: S. Ogata, G. Tamura, Y. Endoh, K. Sakata, K. Ohmura and T. Motoyama 334

PTEN expression is maintained in sporadic colorectal tumours: K. Taniyama, S. Goodison, R. Ito, R. Bookstein, N. Miyoshi, E. Tahara, D. Tarin and V. Urquidi 341

Microarrays of bladder cancer tissue are highly representative of proliferation index and histological grade: A. Nocito, L. Bubendorf, E. M. Tinner, K. Süess, U. Wagner, T. Forster, J. Kononen, A. Fijan, J. Bruderer, U. Schmid, D. Ackermann, R. Maurer, G. Alund, H. Knönagel, M. Rist, M. Anabitarte, F. Hering, T. Hardmeier, A. Schoenenberger, R. Flary, P. Jäger, J.-L. Fehr, P. Schraml, H. Moch, M. J. Mihatsch, T. Gasser and G. Sauter . 349

Abnormalities of the E-cadherin/catenin adhesion complex in classical papillary thyroid carcinoma and in its diffuse sclerosing variant: A. S. Rocha, P. Soares, R. Seruca, V. Máximo, X. M. Guiu, J. Cameselle-Teijeiro and M. Sobrinho-Simões 358

NF2 status of meningiomas is associated with tumour localization and histology: J. Kros, K. de Greve, A. van Tilborg, W. Hop, H. Pieterman, C. Avezaat, R. L. dit Deprez and E. Zwarthoff 367

Human MUC1 mucin: a potent glandular morphogen: M. J. Hudson, G. W. Stamp, K. S. Chaudhary, R. Hewitt, A. P. Stubbs, P. D. Abel and E. Lalani 373

Hyaluronan synthases, hyaluronan and its CD44 receptor in tissue around loosened total hip prostheses: Y. T. Konttinen, T. L. Fang, J. Mandelin, M. Ainola, J. Lassus, I. Virtanen, S. Santavirta, M. Tammi and R. Tammi 384

Announcements 391

Volume 194, Number 4 August 2001

Editorials

Inflammation in human skin: a model to study chemokine-mediated leukocyte migration *in vivo*: R. Gillitzer 393

Are some breast carcinomas polyclonal in origin?: S. Heim, M. A. R. Teixeira, N. Pandis 395

Original Papers

Differential expression of CXCR3 targeting chemokines CXCL10, CXCL9, and CXCL11 in different types of skin inflammation: J. Flier, D. M. Boorsma, P. J. van Beek, C. Nieboer, T. J. Stoof, R. Willemze and C. P. Tensen 398

Clonal origins of human breast cancer: J. J. Going, H. M. Abd El-Monem and J. A. Craft 406

Expression of amphiregulin and epidermal growth factor receptor in human breast cancer: analysis of autocriny and stromal–epithelial interactions: L. Ma, A. de Roquancourt, P. Bertheau, S. Chevret, G. Millot, X. Sastre-Garau, M. Espié, M. Marty, A. Janin and F. Calvo 413

Loss of alveolar basement membrane type IV collagen α3, α4 and α5 chains in bronchioloalveolar cacinoma of the lung: K. Nakano, K. Iyama, T. Mori, M. Yoshioka, T. Hiraoka, Y. Sado and Y. Ninomiya 420

Absence of *tpr-met* and expression of *c-met* in human gastric mucosa and carcinoma: D. A. M. Heideman, P. J. F. Snijders, E. Bloemena, C. J. L. M. Meijer, G. J. A. Offerhaus, S. G. M. Meuwissen, W. R. Gerritsen and M. E. Craanen 428

Apoptosis and cell cycle regulatory proteins in colorectal carcinoma: relationship to tumour stage and patient survival: M. A. Elkablawy, P. Maxwell, K. Williamson, N. Anderson and P. W. Hamilton 436

Bcl-2 expression in pancreas development and pancreatic cancer progression: D. Campani, I. Esposito, U. Boggi, D. Cecchetti, M. Menicagli, F. De Negri, L. Colizzi, M. Del Chiaro, F. Mosca, G. Fornaciari and G. Bevilacqua 444

Deletion at 3p25.3-p23 is frequently encountered in endocrine pancreatic tumours and is associated with metastatic progression: A. Barghorn, P. Komminoth, D. Bachmann, K. Rütimann, P. Saremaslani, S. Muletta-Feurer, A. Perren, J. Roth, P. U. Heitz and E. J. M. Speel 451

***In situ* detection of telomerase enzymatic activity in human hepatocellular carcinogenesis:** N. Youssef, V. Paradis, S. Ferlicot and P. Bedossa 459

Expression of Fas and Fas ligand in uveal melanoma: biological implication and prognostic value: G. Anastassiou, S. E. Coupland, A. Stang, R. Boeloeni, H. Schilling and N. Bornfeld 466

Expression of the sonic hedgehog receptor 'PATCHED' in basal cell carcinomas and odontogenic keratocysts: W. Zedan, P. A. Robinson, A. F. Markham and A. S. High 473

Intrahepatic MxA expression is correlated with interferon–alpha expression in chronic and fulminant hepatitis: L. Leifeld, J. Ramakers, A. M. Schneiders, F. L. Dumoulin, M. Sterneck, A. Müller, T. Sauerbruch and U. Spengler 478

Distribution and activation of eosinophils in inflammatory bowel disease using an improved immunohistochemical technique: M. Jeziorska, N. Haboubi, P. Schofield and D. E. Woolley 484

Apoptosis induction by sennoside laxatives in man: escape from a protective mechanism during chronic sennoside use?: B. A. P. van Gorkom, A. Karrenbeld, T. van der Sluis, N. Zwart, E. G. E. de Vries and J. H. Kleibeuker 493

Brain Aβ amyloidosis in APPsw mice induces accumulation of presenilin-1 and tau: Y. Tomidokoro, Y. Harigaya, E. Matsubara, M. Ikeda, T. Kawarabayashi, T. Shirao, K. Ishiguro, K. Okamoto, S. G. Younkin and M. Shoji 500

Erratum 507

Announcements 508